Notice of Allowability	Application No.	Applicant(s)	
	10/606,452	GIACOMA ET AL.	
	Examiner	Art Unit	
	Allen J. Flanigan	3753	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to			
2. The allowed claim(s) is/are			
3. The drawings filed on <u>07 July 2005</u> are accepted by the Examiner.			
4.			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
 Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	5. ☐ Notice of Informal Pa 6. ☑ Interview Summary (Paper No./Mail Date 8), 7. ☑ Examiner's Amendm 8. ☐ Examiner's Statemen 9. ☐ Other	(PTO-413), e nent/Comment	·

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Pickering on 9/15/2005.

The application has been amended as follows: Claim 23 has been amended by deleting the word "and" (second occurrence) in line 7, and by inserting the following clause at the end of line 9: - -, removing the first wall that closes off each first opening of the ridges; and removing the second wall that closes off each second opening of the grooves - -. Claim 24 has been canceled. Claims 25 and 30 have been amended to depend from claim 23.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Allen J. Flanigan whose telephone number is (571) 272-4910. The examiner can normally be reached on M-F 9:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gene Mancene can be reached on (571) 272-4930. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3753

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Allen J. Flanigan

Primary Examiner Art Unit 3753

AJF